

PCIe x1 to U.2 SSD Extension Cable

Brand name: ADT-LINK

Product name: PCIe x1 extension cable to U.2 SSD (SFF-8639)

Product model: R17SL

Transferspeed:PCIe 3.0 x1 full speed, 8G/bps (Max.)

Wire length: 3 - 100 cm, the length can be customized,


Application: PCIe x1 PCIe Add_On_Card to U.2 (SFF-8639) extension cable

ADT R17 series Part-Number Description:

Part-Number	Description	Bandwidth
R17SF	PCIe x1 to U.2(SFF-8639) 180 degree connector extension cables	PCIe 3.0 x1 (8G/bps)
R17SL	PCIe x1 to U.2(SFF-8639) 90 degree connector extension cables	PCIe 3.0 x1 (8G/bps)

Cable length Description:


The length of the wire refers to the part of the visible wire. It does not include the PCB and the connector. For the wire length, please refer to the 5cm blue arrow in the figure below.



Q&A:

Is there any EMI shielding for Cable?

The extender utilizes the latest materials for EMI shielding with five sole flat cables design. This technique allows each cable to be fully covered by electromagnetic interference shielding with conducting polymer to guard against incoming or outgoing emissions of electromagnetic frequencies, minimize disturbance and degradation on performance, and reduce the weight of the extender.




What is the thickness of the cable? Is it soft? Can it be bent?

The thickness of the cable wire is 1.4mm, so the wire is softer. The wire can be bent or folded, but do not pull it.



Photo:



Download:

To open 3D PDF files. Please use [Adobe Reader DC](#) software.

FTP: Los Angeles

3D PDF files download http://www.adt.link/Uploads/download/ADT_R14-17_3D.zip

3D STEP files download http://www.adt.link/Uploads/download/ADT_R14-17_STEP.zip

FTP: Hong Kong

3D PDF files download http://www.adtlink.cn/Uploads/download/ADT_R14-17_3D.zip

3D STEP files download http://www.adtlink.cn/Uploads/download/ADT_R14-17_STEP.zip

WebShop:

<http://www.adt.link/product/R17-Shop.html>

PREVIOUS : [R14SF \(Shop\)](#)NEXT : [R17 \(Shop\)](#)