# **ADT-Link PCI express 3.0 x1 Extension Cable**

Brand name: ADT-LINK

Product name: PCle x1 extension cable

Product model: R11SF, R11SF-F, R11SF-WK

Transferspeed:PCIe3.0 x1 full speed, 8G/bps (Max.)

Wire length: 3  $\sim$  100 cm, the length can be customized,

Application: PCle x1 audio, LAN, USB cards, extension

#### ADT R11 series Item List:

Part-Number	Description	Bandwidth
IR11SF	PCI-E x1 to x1 turn 180degreesplint	PCIe 3.0 x1
	verticalextension cables	(8G/bps)
IR11SF-F	PCI-E x1 to x1 turn 180degreesplint	PCIe 3.0 x1
	verticalextension cables. Open type connector	(8G/bps)
R11SF-PW	PCI-E x1 to x1 turn 180degreesplint verticalextension cables. Add SATA power cable.	PCIe 3.0 x1 (8G/bps)
R11SF-WK	PCI-E x1 to x1 turn 180degreesplint verticalextension cables. For GPU mining cost-down version. Add SATA power cable.	PCIe 3.0 x1 (8G/bps)
R11SL	PCI-E x1 to x1 turn 90 degree upright right angle extension cables	PCIe 3.0 x1 (8G/bps)
R11SL-FL	PCI-E x1 to x1 turn 90 degree uprightdual right angle extension cables. Open type connector	PCIe 3.0 x1 (8G/bps)
IRTISL-TL-PA2	PCI-E x1 to x1turn 90 degreeuprightdualright angle extension cables. Addmagnetic feet.	PCIe 3.0 x1 (8G/bps)
R11SL-FL-PA4	PCI-E x1 to x1turn 90 degreeuprightdualright angle extension cables, includingbase ofmagnetic feet. Open type connector.	PCIe 3.0 x1 (8G/bps)
R11SL-TL	PCI-E x1 to x1 turn 90 degreedual right uprightangle extension cables	PCIe 3.0 x1 (8G/bps)
	PCI-E x1 to x1 turn 90 degreedual right uprightangle extension cables,includingbase of rubberfeet.	PCIe 3.0 x1 (8G/bps)

	PCI-E x1 to x1turn 90 degreeuprightdualright angleextension cables,includingbase ofmagnetic feet.	PCIe 3.0 x1 (8G/bps)
IR11SR	e e	PCIe 3.0 x1 (8G/bps)
R11SR-WK	PCI-E x1 to x1 turn 180degreesplint verticalextension cables. For GPU mining cost-down version.	PCIe 3.0 x1 (8G/bps)

#### Part-Number Description:

R11: PCle x1 to x1

SL: turn 90 degree upright right angle; SF: turn 180 degree splint vertical; SR: turn 270 degree inverted reverse angle

-WK: GPU mining cost-down version. add 15Pin SATA external power cable

-FL: PCIE open type connector ; -TL PCIE closed type connector


-PA2 including 2PCS magnetic feet ; -PA4 including 4PCS magnetic feet and PCB-PAD

-LG2 including 2PCS rubber feet ; -LG4 including 4PCS rubber feet and PCB-PAD

-PW add 15Pin SATA external power cable

### Cable length Description:


The length of the wire refers to the part of the visible wire. It does not include the PCB and the connector. For the wire length, please refer to the 5cm arrow in the figure below.



## Q&A:

## Is there any EMI shielding for Cable?

The extender utilizes the latest materials for EMI shielding with five sole flat cables design. This technique allows each cable to be fully covered by electromagnetic interference shielding with conducting polymer to guard against incoming or outgoing emissions of electromagnetic frequencies, minimize disturbance and degradation on performance, and reduce the weight of the extender.



#### What is the thickness of the cable? Is it soft? Can it be bent?


The thickness of the cable wire is 1.4mm, so the wire is softer. The wire can be bent or folded, but do not pull it.



## Difference between open and closed:

The closed type interface will fit the sound card quite well.

The open type interface has more compatibility. For instance, an x4 internet card can fit the open type interface.



## Photo:

R11SF (Closed type connector)






































R11SF-WK (Open type connector)







## Download:

To open 3D PDF files. Please use Adobe Reader DC software.

FTP: Los Angeles

 ${\tt 3D~PDF~files~download~http://www.adt.link/Uploads/download/ADT\_R11SF\_3D\_PDF.zip}$ 

 ${\tt 3D\ STEP\ files\ download\ http://www.adt.link/Uploads/download/ADT\_R11SF\_STEP\_PDF.zip}$ 

FTP: Hong Kong

 ${\tt 3D~PDF~files~download~http://www.adtlink.cn/Uploads/download/ADT\_R11SF\_3D\_PDF.zip}$ 

 ${\tt 3D\ STEP\ files\ download\ http://www.adtlink.cn/Uploads/download/ADT\_R11SF\_STEP\_PDF.zip}$ 

## WebShop:

PREVIOUS : DMP Series (Shop) NEXT : R11SL