PCI express 3.0 x1 to x8 Extension Cable

Brand name: ADT-LINK

Product name: PCle x1 to x8 extension cable

Product model: R18SF

Transferspeed:PCIe3.0 x1 to x8, 8G/bps (Max.)

Wire length: 3 ~ 100 cm, the length can be customized,

Application: PCIe x8 NVMe SSD, LAN, Video cards, extension

ADT R18 series Item List:

Part-Number Description		Bandwidth
IR18SF	PCI-E x1 to x1 turn 180degreesplint	PCIe 3.0 x1
	verticalextension cables.	(8G/bps)


Part-Number Description:

R18: PCle x1 to x8

SL: turn 90 degree upright right angle ; SF: turn 180 degree splint vertical ; SR: turn 270 degree inverted reverse angle

Cable length Description:


The length of the wire refers to the part of the visible wire. It does not include the PCB and the connector. For the wire length, please refer to the 5cm arrow in the figure below.



Q&A:

Is there any EMI shielding for Cable?

The extender utilizes the latest materials for EMI shielding with five sole flat cables design. This technique allows each cable to be fully covered by electromagnetic interference shielding with conducting polymer to guard against incoming or outgoing emissions of electromagnetic frequencies, minimize disturbance and degradation on performance, and reduce the weight of the extender.



What is the thickness of the cable? Is it soft? Can it be bent?

The thickness of the cable wire is 1.4mm, so the wire is softer. The wire can be bent or folded, but do not pull it.





Photo:















Download:

To open 3D PDF files. Please use Adobe Reader DC software.

FTP: Los Angeles

3D PDF, STEP files download http://www.adt.link/Uploads/download/ADT_R18_3D.zip

FTP: Hong Kong

 ${\tt 3D~PDF,~STEP~files~download~http://www.adtlink.cn/Uploads/download/ADT_R18_3D.zip}$

WebShop:

http://www.adt.link/product/R18SF-Shop.html

PREVIOUS : R17SFNEXT : R22SL