

# PCI express 3.0 x4 Extension Cable

**Brand name:** ADT-LINK

**Product name:**PCIe x4 extension cable

**Product model:**R22SF , R22SF-PW

**Transferspeed:**PCIe3.0 x4 full speed, 32G/bps (Max.)

**Wire length:**3 ~ 100 cm, the length can be customized,

**Application:** PCIe x4 Capture Card , RAID SSD, LAN, USB cards,extension


## ADT R22 series Part-Number Description:

Part-Number	Description	Bandwidth
R22SL	PCI-E x4 to x4 turn 90 degree upright right angle extension cables	PCIe 3.0 x4 (32G/bps)
R22SF	PCI-E x4 to x4 turn 180degreesplint verticalexension cables	PCIe 3.0 x4 (32G/bps)
R22SR	PCI-E x4 to x4 turn 270degreeinverted reverseextension cables	PCIe 3.0 x4 (32G/bps)

R22: PCIe x4 to x4


SL: turn 90 degree upright right angle ; SF: turn 180 degree splint vertical ; SR: turn 270 degree inverted reverse angle

-PW solder 4P power connector and bundle 15Pin SATA external power cable



**Cable length Description:**


The length of the wire refers to the part of the visible wire. It does not include the PCB and the connector. For the wire length, please refer to the 5cm blue arrow in the figure below.



**Q&A:**

Is there any EMI shielding for Cable?

The extender utilizes the latest materials for EMI shielding with five sole flat cables design. This technique allows each cable to be fully covered by electromagnetic interference shielding with conducting polymer to guard against incoming or outgoing emissions of electromagnetic frequencies, minimize disturbance and degradation on performance, and reduce the weight of the extender.









**What is the thickness of the cable? Is it soft? Can it be bent?**

The thickness of the cable wire is 1.4mm, so the wire is softer. The wire can be bent or folded, but do not pull it.



**Photo:**





**[Download:](#)**

To open 3D PDF files. Please use [Adobe Reader DC](#) software.

FTP: Los Angeles

3D STEP & PDF files download [http://www.adt.link/Uploads/download/ADT\\_R22\\_3D.zip](http://www.adt.link/Uploads/download/ADT_R22_3D.zip)

Specification files download [http://www.adt.link/Uploads/download/ADT\\_R22SF Cable specification 20200107.pdf](http://www.adt.link/Uploads/download/ADT_R22SF Cable specification 20200107.pdf)

FTP: Hong Kong

3D STEP & PDF files download [http://www.adtlink.cn/Uploads/download/ADT\\_R22\\_3D.zip](http://www.adtlink.cn/Uploads/download/ADT_R22_3D.zip)

WebShop:

<http://www.adt.link/product/R22-Shop.html>

PREVIOUS : [R16SF \(Shop\)](#)NEXT : [R22 \(Shop\)](#)